

Distribution of the number of positive UPOINT or UPOINTS domains in CP/CPPS patients.

	Questionnaire type	number of positive UPOINT(S) domains in patients (%)						
		1 domain	2 domains	3 domains	4 domains	5 domains	6 domains	7 domains
German cohort (n=290)	15-item	57 (19.6)	76 (26.2)	102 (35.1)	47 (16.2)	8 (2.7)	-	-
	16-item	25 (8.6)	71 (24.5)	84 (29)	72 (24.8)	36 (12.4)	2 (0.7)	-
	17-item	21 (7.2)	71 (24.5)	80 (27.6)	76 (26.2)	39 (13.4)	3 (1.03)	-
	18-item	10 (3.4)	57 (19.6)	74 (25.5)	96 (33.1)	47 (16.2)	6 (2.0)	-
Italian cohort (n=937)	15-item	66 (7.0)	220 (23.5)	313 (33.4)	223 (23.8)	111 (11.8)	4 (0.4)	-
	16-item	43 (4.6)	141 (15.0)	282 (30.0)	244 (26.0)	169 (18.0)	55 (6.0)	3 (0.3)
	17-item	27 (2.9)	128 (13.7)	264 (28.2)	264 (28.2)	171 (18.2)	79 (8.4)	4 (0.4)
	18-item	19 (2.0)	111 (11.8)	256 (27.3)	277 (29.5)	183 (19.5)	87 (9.3)	4 (0.4)
Merged cohorts (n=1227)	15-item	123 (10.0)	296 (24.1)	415 (33.8)	270 (22.0)	119 (9.7)	4 (0.3)	-
	16-item	68 (5.5)	212 (17.3)	366 (29.8)	316 (25.8)	205 (16.7)	57 (4.6)	3 (0.2)
	17-item	48 (3.9)	199 (16.2)	344 (28.0)	340 (27.7)	210 (17.1)	82 (6.7)	4 (0.3)
	18-item	29 (2.4)	168 (13.7)	330 (26.9)	373 (30.4)	230 (18.7)	93 (7.6)	4 (0.3)